




BBYS

BATTERY BUDDY

HEAVY DUTY LIFTING FOR ANY BATTERY





BBYS

BATTERY BUDDY

If safety and productivity are important to your operation, the Battery Buddy is the ideal solution for manual or gantry-based lift out applications. Assembled from the highest-grade structural aluminum, the Battery Buddy is impervious to acid and dry rot and will not fatigue or weaken like other beams.

Rated at a lift capacity of 6,000 lbs and certified for even the largest batteries, the Battery Buddy has been independently tested for destruction and achieved a failure point consistently in excess of 30,000 lbs which is more than 5 times its rated capacity.

INDUSTRY LEADING

The battery buddy exceeds all OSHA regulations and is offered with either two or four pick-up points to accommodate different batteries.

ROBUST SAFETY LATCHES

Heavy duty 1/4" plate safety latch swivels around each battery lifting eye to prevent any accidental disconnection.

FULLY ADJUSTABLE


Saddle blocks with a solid hinged cover allow for fast, secure and safe width adjustment from 21" - 43" (533mm-1,092mm) or 25" - 47" (635mm - 1,194mm).

ENGINEERED TO LAST

Constructed from structural-grade aluminum alloy and finished with a 3/16 (5mm) coating of non-conductive acid resistant plastisol ensures product longevity.

WARRANTY

Every unit comes with a standard 1-year warranty for your protection.



KEY FEATURES + OPTIONS


- ✓ Custom colours available
- ✓ Durable construction using structural grade aluminum
- ✓ Exceeds standard OSHA regulations
- ✓ Durable rollers
- ✓ Lightweight at only 55 lbs
- ✓ Affordable & compact
- ✓ Adjustable to support all batteries
- ✓ Rated to lift up to 6,000 lbs
- ✓ Easily adapts to handle lidded batteries
- ✓ Single handed controls for safe pick-up and placement
- ✓ Available in two standard sizes to safely adapt to any size battery in your fleet


GENERAL SPECS

Capacity	6,000 lbs
Service weight	55 lbs / 25 kgs
Standard colours	Yellow
Battery connection type	Latches or hooks

MODEL-PART NUMBER BREAKDOWN

Example: BBYS-2-44-SS/SH





DIMENSIONAL DATA

BBYS-2-44

BBYS-2-48

	<u>BBYS-2-44</u>	<u>BBYS-2-48</u>
A Overall length	44"/1118 mm	48"/1219 mm
B Overall width	5"/127 mm	
C Overall height (+ hook mechanism)	8.5"/216 mm	



FABRICATING & AUTOMATION

Our specialized team of machinists create tools, parts, products, and attachments to solve everyday material handling dilemmas while our team of automation experts focus on robotic engineering, PLC and HMI programming and process automation geared towards your specific manufacturing needs. We deliver world-class expertise by innovating products that help you meet the demands of day-to-day operations.

Let's get started on your next project.



- ✓ Operational Up-time
- ✓ In-house Manufacturing
- ✓ Safety & Security

- ✓ Automated Battery Handling
- ✓ System Design
- ✓ And more!

info@carneyautomation.com

CARNEYAUTOMATION.COM



- ✓ Product Transfer Systems
- ✓ Below-The-Hook Devices
- ✓ Storage Systems

- ✓ Ergonomic Equipment
- ✓ Forklift & Picker Attachments
- ✓ And more!

info@carneyfabricating.com

CARNEYFABRICATING.COM



HAVE ADDITIONAL QUESTIONS? GET IN TOUCH

sales@carneybatteryhandling.com
www.carneybatteryhandling.com

Tel: 1.905.564.0303
Toll free: 1.866.THE.BULL

Due to continuous product improvements, specifications are subject to change without notice. Some systems and features shown may be optional at extra cost.

©2024 Carney Battery Handling Ltd.
BBYS_Specifications_NA